

CTBT: 2017 Trial - 17CTFF16
 Fine Fescue Turf Trial
 Location: St. Paul, MN
 Cooperator: Dr. Eric Watkins

2018 Data

SPONSOR	CULTIVAR	Subjective Data		
		Establishment 2017	Spring Green-Up 2018	Average Turf Quality 2018
Chewings Fescue				
PPG	PPG-FRC 120	5.00	5.33	6.45
DLF	DLF-FRC 50	4.33	5.33	6.45
Rutgers	Z16-RCF	5.00	4.67	6.17
CHECK	Radar	5.00	5.00	6.17
PPG	PPG-FRC 118	5.33	4.33	6.06
DLF	DLF-FRC 54	5.67	4.67	6.00
NexGen	ACF319	4.33	5.00	5.89
DLF	DLF-FRC 51	6.00	4.33	5.72
CHECK	Sonar	5.33	4.33	5.67
NexGen	ACF303	5.67	4.33	5.67
CHECK	Survivor	5.33	5.00	5.67
DLF	DLF-FRC 52	5.33	5.00	5.61
NexGen	ACF314	5.00	4.33	5.55
CHECK	Culumbra II	5.33	3.67	5.50
NexGen	ACF328	5.00	5.67	5.39
PPG	PPG-FRC 113	3.00	5.67	5.33
PST	PST-4SWT	5.00	4.67	5.28
NexGen	ACF327	5.33	5.67	5.28
NexGen	ACF309	5.00	5.67	5.22
CHECK	Koket	6.00	3.00	3.67
Hard & Sheep Fescues				
PPG	PPG-FL 115	3.00	4.33	6.72
PPG	PPG-FL 113	4.00	4.00	6.56
DLF	DLF-FL 63	3.67	4.00	6.39
DLF	DLF-FL 54 M3	3.00	4.67	6.33
Rutgers	Z16-RHF	4.67	4.00	6.22
DLF	DLF-FL 53 M3	3.33	4.00	6.17
DLF	DLF-FL 64	3.67	3.33	5.94
NexGen	AHF218	4.00	4.67	5.94
NexGen	AHF211	4.00	5.00	5.89
NexGen	AHF222	4.00	4.00	5.89
CHECK	Beacon	3.33	4.33	5.78
NexGen	AHF225	3.33	4.33	5.72
CHECK	SR 3150	3.00	4.00	5.67
NexGen	AHF205	3.33	4.33	5.44
PST	PST-4BND	3.33	3.33	5.33
CHECK	Bighorn GT	3.67	4.00	4.89
CHECK	Eureka II	3.67	4.33	4.78
PPG	PPG-FO 102	4.33	3.33	4.50
PST	PST-4GUD	3.67	4.67	4.33
Slender Red Fescue				
NexGen	ASR175	4.00	4.67	5.56
CHECK	SeaMist	5.67	5.00	5.39
NexGen	ASR197	5.67	5.33	5.39
CHECK	Seabreeze GT	3.67	5.00	5.28

SPONSOR	CULTIVAR	Subjective Data		
		Establishment 2017	Spring Green-Up 2018	Average Turf Quality 2018
Strong Fescue				
NexGen	ASC295	4.67	4.67	5.78
PST	PST-4CR7	4.33	5.33	5.67
PST	PST-4BEN	4.00	5.67	5.55
PST	PST-4ED4	6.00	3.00	5.50
NexGen	ASC362	5.33	5.00	5.45
PPG	PPG-FRR 115	6.00	5.33	5.44
NexGen	ASC359	5.67	4.33	5.44
NexGen	ASC361	3.67	5.33	5.44
CHECK	Lustrous	4.67	5.67	5.39
DLF	DLF-FRR 77	5.33	6.00	5.33
NexGen	ASC354	5.33	5.67	5.33
PPG	PPG-FRR 116	7.00	4.33	5.28
CHECK	Shademaster III	4.33	5.00	5.28
DLF	DLF-FRR 79	5.00	4.67	5.17
NexGen	ASC350	4.67	5.67	5.17
DLF	DLF-FRR 72 M2	4.00	6.00	5.16
PST	PST-4DR4	4.33	4.67	5.11
NexGen	ASC347	4.33	5.00	5.11
NexGen	ASC356	5.67	5.33	5.11
PPG	PPG-FRR 114	5.67	5.33	5.06
NexGen	ASC348	4.67	5.00	5.06
NexGen	ASC351	5.00	4.00	5.06
Rutgers	Z16-DRBM	6.67	5.00	4.95
PPG	PPG-FRR 111	3.00	5.67	4.95
PST	PST-4SP14	3.33	4.67	4.89
PST	Xeric	5.33	4.67	4.83
PST	PST-4RUE	2.67	4.67	4.61
Rutgers	Z16-DRBM2X	3.33	4.67	4.50
DLF	DLF-FRR 75	5.33	5.33	4.44
DLF	DLF-FRR 76	5.67	4.00	3.89
CHECK	Boreal	5.33	5.33	3.17
PST	PST-4GRP*	--	--	--
	CV	17.78	17.45	6.51
	LSD (0.05)	1.09	1.10	0.47

*PST-4GRP did not establish.

2017 Establishment = 1-9; 9=Best (1 rating: October 2, 2017)
 2017 Spring Green-Up = 1-9; 9=Darkest (1 rating: May 22, 2018)
 2018 Average Turf Quality = 1-9; 9=Best (6 ratings)