

CTBT: 2007 Trial
 Perennial Ryegrass Turf Trial
 Location: Rolesville, North Carolina
 Cooperator: Dr. Melodee Fraser

2007 Data

Subjective Ratings

SPONSOR	CULTIVAR	Est.	SPONSOR	CULTIVAR	Est.
PSG	Zoom	7.67	PST	Manhattan 6 (PST-2MAGS)	5.67
Rutgers	GL-31	7.33	DLF-IS	IS-PR 411	5.67
NexGen	Radiance (APR2037)	7.00	DLF-IS	IS-PR 378	5.67
NexGen	APR2089	6.67	DLF-IS	IS-PR 342	5.67
NexGen	APR2026	6.67	NexGen	APR2090	5.33
NexGen	APR2033	6.67	NexGen	APR2096	5.33
NexGen	APR2035	6.67	NexGen	APR1977	5.33
Rutgers	HU-1	6.67	NexGen	APR1980	5.33
PSG	Dasher 3	6.67	PSG	Penquin 2	5.33
PSG	SR 4600	6.67	PSG	04-18 Lp	5.33
DLF-IS	IS-PR 381	6.67	PSG	06-K Lp	5.33
DLF-IS	IS-PR 377	6.67	PSG	Calypso III	5.33
DLF-IS	All*Star 3	6.67	PSG	06-Z Lp	5.33
NexGen	APR1979	6.33	PST	PST-Syn-2R57	5.33
NexGen	APR2032	6.33	PST	\$ilver Dollar	5.33
Rutgers	Integra II	6.33	PST	Rainwater (PST-2TQL)	5.33
Rutgers	Soprano	6.33	DLF-IS	IS-PR 344	5.33
Rutgers	LineDrive GLS	6.33	NexGen	APR2025	5.00
Rutgers	Pizzazz	6.33	NexGen	Haven (APR2038)	5.00
PSG	GL3	6.33	Rutgers	Jet	5.00
PSG	Pick EJ	6.33	Rutgers	Paragon GLR	5.00
PSG	PM 102	6.33	Rutgers	Prelude IV	5.00
PSG	MD-07	6.33	Rutgers	APR1666	5.00
PSG	06-H Lp	6.33	PSG	A01PR Bulk	5.00
PST	Gray Goose (PST-2J15)	6.33	PSG	04-10 Lp	5.00
DLF-IS	IS-PR 341	6.33	PSG	06-J Lp	5.00
DLF-IS	IS-PR 409	6.33	PST	PST-Syn-2GR7	5.00
NexGen	APR2024	6.00	PST	Dominator (PST-2AG4)	5.00
NexGen	Sunstreaker (APR2036)	6.00	PST	PST-2GSB	5.00
NexGen	APR1965	6.00	PST	PST-2R9R-05	5.00
Rutgers	HP-1	6.00	PST	PST-2101-07	5.00
Rutgers	Protege GLR	6.00	DLF-IS	IS-PR 410	5.00
Rutgers	1GSquared	6.00	DLF-IS	IS-PR 340	5.00
PSG	04-4 Lp	6.00	DLF-IS	IS-PR 313	5.00
PSG	06-C Lp EDB	6.00	DLF-IS	IS-PR 382	5.00
PSG	06-B Lp	6.00	NexGen	APR1978	4.67
PST	Pacific Gem (PST-2MG7) Bulk	6.00	NexGen	Applaud II	4.67
PST	PST-2USD	6.00	PST	Salinas II (PST-Syn-204D)	4.67
PST	Evolve (PST-2NKM)	6.00	PST	PST-2COL	4.67
NexGen	APR2013	5.67	PST	Plateau (PST-2LAN)	4.67
NexGen	APR2031	5.67	PST	PST-2SNS	4.67
NexGen	APR2034	5.67	NexGen	APR1959	4.67
NexGen	APR2064	5.67	NexGen	APR2075	4.33
NexGen	Applaud	5.67	PSG	06-I Lp	4.33
Rutgers	Palmer V	5.67	PSG	SRX 4TPCS	4.33
PSG	06-C Lp ACF	5.67	PST	PST-Syn-2US7	4.33
PSG	06-N Lp	5.67	DLF-IS	MBH2	4.33
PSG	05-SP-I	5.67	PST	PST-2TSE	4.00
PST	PST-2R57S Bulk	5.67	PST	PST-2MAX-07	4.00
PST	PST-21N4	5.67	PSG	Cutter	3.33
PST	Manhattan 5 GLR	5.67	DLF-IS	Manhattan II	3.33
PST	PST-2NKMS	5.67	PSG	SR 45 AB	3.00
PST	Gray Fox (PST-2MNG)	5.67			
				CV	19.41
				LSD	1.45
				GRAND MEAN	5.55
				MIN. MEAN	3.00
				MAX. MEAN	7.67

Est. = Establishment - 1-9; 9=Most Established