

CTBT: 2010 Trial
 Tall Fescue Turf Trial
 Location: Urbana, Illinois
 Cooperator: Dr. Tom Ferமான

2011 Data

SPONSOR	CULTIVAR	Subjective Ratings	
		Est.	Average Turf Quality
DLF	IS-TF 224	68.33	6.83
NexGen	ATF1608	61.67	6.72
Peak Genetics	PPG-TF 105	73.33	6.72
DLF	Bullseye	60.00	6.72
Peak Genetics	PPG-TF 106	66.67	6.67
NexGen	ATF1567	70.00	6.67
Rutgers	3rd Millennium	70.00	6.61
DLF	IS-TF 233C	61.67	6.61
NexGen	ATF1570	73.33	6.61
NexGen	ATF1613	66.67	6.61
NexGen	ATF1549	71.67	6.61
Peak Genetics	Titanium LS	71.67	6.56
NexGen	ATF1621	66.67	6.56
NexGen	Penn 1901	81.67	6.56
PST	PST-5SLV	70.00	6.50
PSG	Mustang 4	66.67	6.50
DLF	IS-TF 223	63.33	6.50
PST	Wolfpack II	63.33	6.50
PST	Meridian (PST-5GRB)	76.67	6.50
NexGen	ATF1571	66.67	6.50
Rutgers	Falcon IV	73.33	6.50
PST	PST-5MVD	75.00	6.50
Rutgers	FCE3	75.00	6.45
Peak Genetics	PPG-TF 101	66.67	6.45
Peak Genetics	PPG-TF 102	58.33	6.45
DLF	IS-TF 227	66.67	6.45
NexGen	ATF1566	65.00	6.45
NexGen	ATF1609	68.33	6.45
NexGen	ATF1611	60.00	6.45
NexGen	ATF1548	63.33	6.45
Rutgers	Rhambler	73.33	6.44
Rutgers	LW	81.67	6.44
Peak Genetics	PPG-TF 116	63.33	6.44
Peak Genetics	Firecracker LS	68.33	6.44
PST	PST-5DKB	60.00	6.44
PSG	PSG 07-9	55.00	6.39
PSG	PSG 07-5	51.67	6.39
PSG	PSG 709509	63.33	6.39
DLF	IS-TF 197	65.00	6.39
DLF	IS-TF 219	56.67	6.39
DLF	IS-TF 225	63.33	6.39
DLF	IS-TF 230B	68.33	6.39
PST	PST-5MCD	73.33	6.39
PST	PST-5BGR	81.67	6.39
PST	Swagger (PST-5R05)	75.00	6.39
PST	PST-5AWT	70.00	6.39
NexGen	Verti (ATF1612)	71.67	6.39
NexGen	Rebel Exeda	76.67	6.39
Rutgers	Catalyst	78.33	6.39
Rutgers	6351	71.67	6.39
NexGen	ATF1620	66.67	6.39
Rutgers	Shenandoah III	78.33	6.33
Peak Genetics	PPG-TF 115	65.00	6.33
PST	PST-5LIV	66.67	6.33

SPONSOR	CULTIVAR	Subjective Ratings	
		Est.	Average Turf Quality
PST	Tarnation GT (PST-5T8E)	58.33	6.33
NexGen	ATF1610	68.33	6.33
NexGen	ATF1614	61.67	6.33
Rutgers	Falcon V	68.33	6.28
DLF	IS-TF 226	58.33	6.28
Rutgers	Traverse	63.33	6.28
Rutgers	Shenandoah Elite	63.33	6.28
Peak Genetics	PPG-TF 117	61.67	6.28
PSG	PSG 6008	70.00	6.28
PSG	STR 86QRH	81.67	6.28
PSG	Corona	66.67	6.28
DLF	IS-TF 217	66.67	6.28
DLF	IS-TF 231C	68.33	6.28
DLF	IS-TF 234C	65.00	6.28
NexGen	ATF1618	70.00	6.28
Peak Genetics	Spyder LS	71.67	6.22
PST	Cumberland (PST-5R20)	66.67	6.22
Peak Genetics	Raptor II	68.33	6.22
PSG	PSG 5908	78.33	6.22
PST	PST-5YMY	71.67	6.22
DLF	IS-TF 215	56.67	6.17
PST	PST-5DVD-07	71.67	6.17
PSG	PSG 82BPRH	70.00	6.17
PSG	PSG 8SP1	70.00	6.17
DLF	Essential	60.00	6.17
PST	Coronado TDH	63.33	6.17
PST	Rain Saver (PST-5SDS)	66.67	6.17
NexGen	ATF1619	68.33	6.17
PST	PST-R5NW	61.67	6.16
NexGen	ATF1568	70.00	6.16
NexGen	ATF1551	60.00	6.16
NexGen	ATF1569	61.67	6.11
PSG	PSG 8308	65.00	6.11
PST	Gazelle II	70.00	6.11
NexGen	ATF1550	61.67	6.11
PSG	PSG3905	65.00	6.06
PSG	PSG 08-6	61.67	6.06
PST	PST-5V4	56.67	6.06
PST	PST-5SIS	66.67	6.06
NexGen	ATF1547	68.33	6.06
Rutgers	Finelawn Xpress	70.00	6.05
PST	PST-5FDR	63.33	6.05
PSG	PSG 8GRTR	71.67	6.00
PST	PST-5DRP	71.67	6.00
PST	PST-5SXR	70.00	6.00
PST	PST-5SXD	66.67	5.95
PSG	Crossfire 3	65.00	5.94
PST	Rain Dance (PST-5SDT)	68.33	5.89
NexGen	ATF1491	71.67	5.72
Peak Genetics	KY-31	80.00	3.83
	CV	13.22	4.58
	LSD	12.05	0.39
	GRAND MEAN	67.58	6.30
	MIN. MEAN	51.67	3.83
	MAX. MEAN	81.67	6.83

Est. = Establishment = 1-100; 100=Established
 Average Turf Quality = 1-9; 9=Best (6 ratings)