

## 2011 Fine Fescue Site Management

Site	Fertility (lbs / 1,000 ft <sup>2</sup> )			Soil Type	pH	Mow Height Inches	Irrigation	Fungicides	Herbicides	Trial Type	Other
	N	P	K								
Connecticut Storrs	2.0	0.0	0.0	Paxton & Montauk fine sandy loam	6.0	2.75	None	None	Prodiamine Broad Leaf Herbicide	Full Sun	
Illinois Urbana	2.5	0.4	0.4	Silt Loam and Silt	6.3	7/8	Prevent Stress	None	Lontrel	Full Sun	
Kentucky Berry	4.75	0.5	0.5	Ashton Silt Loam	6.6	2.0	1 inch/wk	Quadris	Imprelis MecAmine Pendimthalin	Full Sun	
Massachusetts Amherst	3.0	0.8	0.5	Silt Loam	5.7	2.0	None	None	Merit Barricade	Full Sun	
Minnesota St. Paul	2.5	0.2	0.35	Wakegan Silt Loam	6.8	2	No Irrig.	None	2, 4D	Full Sun	Innoc. Summer Patch
New Jersey Adelphia	1.5	0.0	0.0	Sandy Loam	6.1	1.5	Prevent Severe Stress	None	Dimension, 3 way ester Merit, Lontrel 2,4D & Banvel	Full Sun	
New Jersey Salem	3.0	0.0	0.0	Silt Loam	6.3	1.5	Prevent Stress	None	Barricade	Full Sun	
North Carolina Rolesville	4.0	0.0	0.0	Durham Loamy Sand	6.0	3.0	Prevent Severe Stress	None	None	Full Sun	
Oregon Albany	6.75	0.75	1.75	Woodburn Silt Loam	5.0	1.0	Promote Drought	Tilt / Bravo Quadris Quilt	None	Drought	