

CTBT: 2015 Trial - 15CTFA3
 Tall Fescue Turf Trial
 Location: College Park, MD
 Cooperator: Dr. Tom Turner

2018 Data

SPONSOR	CULTIVAR	Subjective Ratings					
		Brown Patch 2016	Average Turf Quality 2016	Brown Patch 2017	Average Turf Quality 2017	Average Turf Quality 2018	Average Turf Quality 2016 - 2018
PPG	PPG-TF 229	7.67	7.61	86.67	7.90	7.43	7.65
PPG	PPG-TF 234	7.33	7.39	88.33	7.62	7.81	7.61
Rutgers	3N1	7.00	7.50	90.00	7.57	7.71	7.59
Rutgers	3N2	7.33	7.06	85.00	7.52	7.43	7.34
Rutgers	304	7.00	6.94	80.00	7.38	7.62	7.32
PPG	PPG-TF 232	7.33	7.22	85.00	7.38	7.33	7.31
DLFPS	DLFPS-TF/3553	7.33	7.00	81.67	7.43	7.43	7.29
Rutgers	3B2	7.67	7.17	88.33	7.43	7.24	7.28
DLFPS	DLFPS-TF/3550	6.67	6.94	83.33	7.24	7.57	7.25
PPG	PPG-TF 231	7.67	6.94	86.67	7.29	7.43	7.22
PPG	Avenger II	7.67	6.83	88.33	7.14	7.62	7.20
PPG	PPG-TF 230	6.67	7.11	76.67	7.10	7.14	7.12
DLFPS	Rowdy	8.00	6.67	86.67	7.24	7.38	7.10
PPG	PPG-TF 176	7.00	7.00	85.00	7.24	7.00	7.08
DLFPS	DLFPS-TF/3548	7.00	7.00	66.67	6.95	7.24	7.07
DLFPS	DLFPS-TF/3552	6.33	6.67	81.67	7.14	7.28	7.03
DLFPS	DLFPS-TF/3547	5.67	6.83	80.00	7.10	6.81	6.91
DLFPS	DLFPS-TF/3543	7.00	6.83	86.67	7.10	6.76	6.90
DLFPS	DLFPS-TF/3538	6.00	6.61	83.33	6.95	6.95	6.84
NexGen	Six Point	7.33	6.61	85.00	6.95	6.81	6.79
DLFPS	DLFPS-TF/3539	5.33	6.44	80.00	6.86	6.81	6.70
DLFPS	Firewall	6.00	6.55	86.67	7.05	6.48	6.69
PST	PST-5LYM	7.33	6.55	86.67	6.81	6.67	6.68
DLFPS	DLFPS-TF/3541	7.33	6.56	73.33	6.71	6.76	6.67
PPG	PPG-TF 177	7.33	6.11	80.00	6.95	6.91	6.66
NexGen	South Fork (ATF1738)	6.67	6.39	71.67	7.05	6.52	6.65
PST	PST-5MIN4	7.00	6.39	76.67	6.67	6.91	6.65
PST	PST-5SQB	6.67	6.67	58.33	6.47	6.81	6.65
PST	PST-SYN-5WAB-15	6.00	6.61	78.33	6.76	6.57	6.65
DLFPS	Rebounder	6.33	6.50	76.67	6.76	6.67	6.64
DLFPS	DLFPS-TF/3551	6.33	6.28	76.67	6.86	6.76	6.63
PST	PST-R511	4.67	6.33	63.33	6.71	6.81	6.62
PST	Lifeguard	6.67	6.50	78.33	6.52	6.81	6.61
DLFPS	DLFPS-TF/3546	6.67	6.06	66.67	7.24	6.52	6.61
PPG	Titanium 2LS	7.67	6.72	73.33	6.62	6.38	6.57
PST	PST-5DR	7.33	6.61	81.67	6.43	6.67	6.57
DLFPS	Bloodhound	6.33	6.28	80.00	6.81	6.57	6.55
NexGen	Rebel V (ATF1736)	6.33	6.45	81.67	6.62	6.57	6.55
PST	PST-SYN-5YORK-15	6.33	6.17	75.00	6.57	6.81	6.51
DLFPS	DLFPS-TF/3540	6.67	6.22	75.00	6.71	6.53	6.49
PST	PST-53D2	7.00	6.44	78.33	6.57	6.43	6.48
DLFPS	Houndog 8	5.67	6.50	65.00	6.62	6.33	6.48
PST	PST-5DAW-15	6.67	6.00	85.00	6.86	6.53	6.46
DLFPS	Fayette	6.67	6.16	76.67	6.62	6.52	6.43
PPG	PPG-TF 178	7.33	6.11	81.67	6.62	6.43	6.39
DLFPS	DLFPS-TF/3545	6.00	5.94	68.33	6.67	6.52	6.38
DLFPS	DLFPS-TF/3549	6.67	6.05	76.67	6.62	6.43	6.36
DLFPS	DLFPS-TF/3542	6.00	6.11	78.33	6.71	6.24	6.35
PPG	PPG-TF 174	7.00	6.28	80.00	6.48	6.10	6.28

SPONSOR	CULTIVAR	Subjective Ratings					
		Brown Patch 2016	Average Turf Quality 2016	Brown Patch 2017	Average Turf Quality 2017	Average Turf Quality 2018	Average Turf Quality 2016 - 2018
NexGen	Springwood (ATF1599)	5.67	6.33	67.00	6.24	6.24	6.27
Rutgers	WATKINS	5.33	6.39	71.67	6.57	5.67	6.21
PPG	PPG-TF 153	6.33	6.28	73.33	6.33	5.91	6.17
NexGen	Rebel Exeda	6.67	5.89	73.33	6.38	6.14	6.14
PST	PST-5MINI	6.33	6.16	83.33	6.05	6.14	6.12
PST	PST-5BP0	6.00	5.78	63.33	6.33	6.14	6.08
PST	PST-5T24	4.33	6.11	83.33	6.38	5.71	6.07
PST	PST-5MIK	6.33	6.11	85.00	6.81	5.14	6.02
NexGen	ATF1552	6.67	5.72	78.33	6.24	5.95	5.97
NexGen	ATF1835	6.00	6.45	75.00	6.10	5.28	5.94
PST	PST-5STAR	6.33	6.11	63.33	6.10	5.62	5.94
DLFPS	Turfway	6.33	6.00	75.00	6.14	5.67	5.94
NexGen	ATF1572	6.33	5.72	73.33	6.00	6.00	5.91
PST	Gazelle II	4.67	5.89	60.00	6.14	5.67	5.90
PST	Saltillo	6.00	5.89	83.33	6.00	5.76	5.89
NexGen	ATF1587	5.00	6.17	61.67	6.00	5.43	5.86
PPG	PPG-TF 154	5.33	6.06	70.00	6.15	5.38	5.86
NexGen	ATF1831	4.67	5.83	68.33	5.95	5.71	5.83
NexGen	ATF1601	5.33	5.72	78.33	5.86	5.90	5.83
PST	PST-5EX2	7.67	5.94	85.00	5.62	5.76	5.78
DLFPS	DLFPS-TF/3544	5.33	5.72	61.67	5.81	5.76	5.76
NexGen	ATF1574	5.67	5.83	73.33	6.00	5.38	5.74
PST	PST-5DZP	4.67	5.89	73.33	6.14	5.14	5.72
NexGen	ATF1467	6.00	5.33	71.67	5.81	5.95	5.70
PST	PST-5BRK	6.67	5.84	70.00	5.72	5.33	5.63
NexGen	ATF1838	5.67	5.83	56.67	5.71	5.19	5.58
PPG	PPG-TF 155	6.00	5.22	71.67	5.57	5.57	5.46
NexGen	ATF1576	5.33	5.39	80.00	5.71	5.19	5.43
NexGen	ATF1833	5.33	5.72	60.00	5.48	5.09	5.43
NexGen	ATF1900	5.67	5.78	70.00	5.67	4.81	5.42
NexGen	ATF1829	5.67	5.28	73.33	5.71	5.24	5.41
DLFPS	Bullseye	7.33	4.83	70.00	5.76	5.62	5.40
PST	Rain Dance	5.00	5.72	63.33	5.52	4.95	5.40
NexGen	ATF1832	4.33	5.56	71.67	5.57	5.05	5.39
NexGen	ATF1594	5.67	5.78	61.67	5.48	4.57	5.28
NexGen	ATF1616	5.33	5.50	50.00	5.33	4.86	5.23
NexGen	ATF1836	5.00	5.39	73.33	5.19	4.90	5.16
NexGen	ATF1585	5.33	5.00	61.67	5.38	4.90	5.10
PPG	Stingray	5.67	5.50	55.00	5.28	4.29	5.02
PST	Tar Heel II	7.00	5.72	53.33	4.71	4.38	4.94
NexGen	ATF1591	5.00	5.28	65.00	5.10	4.00	4.79
NexGen	ATF1617	5.00	5.11	56.67	4.86	4.19	4.72
DLFPS	KY-31 E+	6.00	2.55	83.33	2.81	2.19	2.51
	CV	16.26	4.63	43.15	4.74	6.72	3.64
	LSD (0.05)	1.38	0.39	14.66	0.41	0.56	0.31

2016 Brown Patch = 1-9; 9=Most Resistant (1 rating)

2016 Average Turf Quality = 1-9; 9=Best (6 ratings)

2017 Brown Patch = Percent Resistant (1 rating)

2017 Average Turf Quality = 1-9; 9=Best (7 ratings)

2018 Average Turf Quality = 1-9; 9=Best (7 ratings)

2016-2018 Average Turf Quality = 1-9; 9=Best (20 ratings)