

CTBT: 2014 Trial - Shade
 Kentucky Bluegrass Turf Trial
 Location: Canby, Oregon
 Cooperator: Crystal Fricker

		2015			
Sponsor	Cultivar	Subjective Data			Turf Quality Average 2015
		Stem Rust	Stripe Rust	Drought Tolerance	
PST	Desert Moon (K10-111)	8.00	8.33	7.67	6.63
PST	T14-38	7.67	8.00	6.67	6.40
NexGen	AKB2839	7.33	7.00	6.33	6.00
NexGen	AKB2313	5.33	6.00	5.67	5.50
PST	K13-141	8.33	8.00	4.67	5.40
DLF-Pick	A09-353	6.33	7.67	4.00	5.37
PST	T10-18	8.33	7.00	4.33	5.30
NexGen	AKB2949	6.33	6.00	4.67	5.27
PST	K13-138	6.33	7.00	3.67	5.10
Check	Right	8.00	9.00	4.33	5.10
PST	K13-139	5.00	6.67	3.33	5.07
PST	K13-140	8.00	6.67	4.67	5.00
PST	T13-34	4.67	5.33	5.00	4.97
NexGen	AKB2543	6.33	6.67	4.00	4.90
PPG	A98-1001	7.00	5.33	4.00	4.83
PST	T14-40	6.67	5.67	3.00	4.77
PST	K13-143	4.67	6.33	4.00	4.70
PPG	A99-523	6.00	4.67	4.67	4.63
PST	K12-132	7.67	7.33	1.67	4.57
Rutgers	A04-1381	7.33	8.00	3.33	4.57
NexGen	AKB2403	7.00	5.67	4.67	4.57
PST	T14-39	6.67	8.33	4.33	4.53
NexGen	Ridgeline	7.67	7.33	2.67	4.53
DLF-Pick	A08-3	5.67	6.33	4.00	4.47
DLF-Pick	Crest 5K-12	4.67	5.00	4.67	4.47
DLF-Pick	TD-8	6.00	5.00	4.33	4.47
NexGen	AKB2836	7.00	7.00	4.00	4.47
Rutgers	A12-3	7.67	8.00	2.67	4.43
NexGen	KH3492	4.00	3.33	2.67	4.33
PPG	A06-3	7.00	6.33	2.67	4.30
PPG	A08-2	7.00	7.67	3.00	4.30
PST	K14-152	7.00	7.33	3.33	4.30
Rutgers	A12-1	6.33	5.00	3.00	4.27
NexGen	Mystere H2O (AKB1820)	6.00	4.33	3.33	4.27
NexGen	AKB1184	7.33	7.67	5.33	4.23
PST	T12-31	7.33	3.67	3.00	4.20
DLF-Pick	PST-K9-103	7.00	6.67	2.33	4.20
NexGen	AKB2404	4.00	2.67	4.00	4.20
DLF-Pick	TD-7	4.00	2.67	3.67	4.20
PST	K10-110	7.00	6.33	3.33	4.17
Check	Bedazzled	4.67	3.33	4.00	4.17
PST	K10-107	7.67	7.33	3.67	4.10
Rutgers	A12-2	5.67	4.33	2.33	4.10
NexGen	AKB2310	4.67	5.67	4.33	4.07
PST	K11-125	8.00	8.33	3.00	4.03
DLF-Pick	TD-2	3.00	3.00	3.67	4.03
NexGen	Apollo H2O (AKB1812)	6.33	4.33	3.67	4.03
Rutgers	Dauntless	5.67	4.33	2.67	3.90
DLF-Pick	DDOKM	7.00	4.67	3.00	3.87
PST	K14-155	6.67	7.67	2.33	3.80
PPG	A05-342	4.33	4.00	3.33	3.77
DLF-Pick	Rhapsody	5.33	3.67	2.33	3.77

		2015			
Sponsor	Cultivar	Subjective Data			Turf Quality Average 2015
		Stem Rust	Stripe Rust	Drought Tolerance	
DLF-Pick	Spitfire	4.00	3.67	3.33	3.73
NexGen	AKB2120	3.00	2.33	3.33	3.73
PPG	A99-2897	6.00	4.67	2.67	3.70
Check	Geronimo	6.33	5.00	2.33	3.70
Check	Mallard	6.67	4.33	3.33	3.70
NexGen	AKB434	3.67	3.67	3.67	3.67
DLF-Pick	Keeneland	3.67	2.33	3.33	3.63
NexGen	AKB1892	3.00	2.67	3.00	3.60
DLF-Pick	A09-258	3.00	2.33	2.67	3.57
DLF-Pick	Haromine	2.67	2.67	3.67	3.53
DLF-Pick	PST-K10-106D	6.67	3.33	2.67	3.50
NexGen	AKB1661	4.00	3.00	3.00	3.50
NexGen	AKB1764	5.33	5.33	4.33	3.50
NexGen	AKB1078	3.33	2.67	4.67	3.50
PST	T10-22	5.33	3.67	2.00	3.50
Check	Bewitched	3.33	2.33	2.67	3.47
PPG	A10-1	3.67	3.00	2.00	3.43
PST	T14-37	7.00	6.67	2.00	3.43
Rutgers	A06-671	3.67	2.33	2.67	3.43
NexGen	AKB1193	5.67	5.33	3.67	3.40
PST	K14-146	4.00	6.33	4.00	3.37
Check	Bluenote	3.67	2.67	2.33	3.33
DLF-Pick	Mercury	7.67	3.67	3.33	3.30
PPG	A06-2	5.00	3.67	2.67	3.13
DLF-Pick	Sombrero	2.33	2.00	2.33	3.13
Check	America	4.33	3.00	2.67	3.10
DLF-Pick	A10-4	4.67	3.67	2.00	3.07
PPG	A10-873	3.67	2.00	2.00	3.03
PST	K13-137	4.00	3.33	3.00	3.00
NexGen	AKB1162	5.33	6.67	4.00	2.93
PPG	A06-19	5.67	4.33	2.33	2.90
PST	T14-36	4.00	5.00	1.67	2.77
Check	Touchdown	3.00	2.00	2.00	2.73
DLF-Pick	Crest	2.67	2.33	2.00	2.60
Rutgers	A04-68	4.00	2.33	1.33	2.50
NexGen	AKB510	3.00	2.33	1.67	2.50
NexGen	AKB1147	5.67	3.33	2.00	2.43
DLF-Pick	A06-643	2.00	3.00	2.67	2.30
DLF-Pick	A10-5	2.67	3.00	2.00	2.30
DLF-Pick	TB 677	3.00	2.00	1.33	2.17
DLF-Pick	TD-4	2.67	1.33	1.33	2.17
Rutgers	A98-3366	2.33	1.00	1.33	2.13
Check	Ken Blue	3.67	3.33	2.00	2.10
Check	Midnight	3.00	1.67	1.00	2.07
DLF-Pick	TD-5	4.33	1.67	1.00	2.07
	CV	21.17	25.68	33.76	18.74
	LSD (.05)	1.52	1.65	1.47	0.98
	MIN. MEAN	2.00	1.00	1.00	2.07
	MAX. MEAN	8.33	9.00	7.67	6.63

2015 Stem Rust = 1-9; 9=Best (March 5, 2015)
 2015 Stripe Rust = 1-9; 9=Best (April 30, 2015)
 2015 Drought = 1-9; 9=Best (October 22, 2015)
 2015 Average Turf Quality = 1-9; 9=Best (9 ratings)