

CTBT: 2015 Trial
 Tall Fescue Turf Trial
 Location: College Park, MD
 Cooperator: Dr. Tom Turner

2017 DATA

SPONSOR	CULTIVAR	SUBJECTIVE DATA		
		Brown Patch 2017 (% affected)	Turf Quality 2017	Turf Quality 2016 - 2017
PPG	PPG-TF 229	13.33	7.90	7.76
Rutgers	3N1	10.00	7.57	7.54
PPG	PPG-TF 234	11.67	7.62	7.51
PPG	PPG-TF 232	15.00	7.38	7.31
Rutgers	3B2	11.67	7.43	7.30
Rutgers	3N2	15.00	7.52	7.29
DLFPS	DLFPS-TF/3553	18.33	7.43	7.21
Rutgers	304	20.00	7.38	7.17
PPG	PPG-TF 176	15.00	7.24	7.12
PPG	PPG-TF 231	13.33	7.29	7.12
PPG	PPG-TF 230	23.33	7.10	7.11
DLFPS	DLFPS-TF/3550	16.67	7.24	7.09
PPG	Avenger II	11.67	7.14	6.99
DLFPS	DLFPS-TF/3548	33.33	6.95	6.98
DLFPS	DLFPS-TF/3543	13.33	7.10	6.97
DLFPS	DLFPS-TF/3547	20.00	7.10	6.97
DLFPS	Rowdy	13.33	7.24	6.96
DLFPS	DLFPS-TF/3552	18.33	7.14	6.91
DLFPS	Firewall	13.33	7.05	6.80
NexGen	Six Point	15.00	6.95	6.78
DLFPS	DLFPS-TF/3538	16.67	6.95	6.78
NexGen	ATF1738	28.33	7.05	6.72
PST	PST-SYN-5WAB-15	21.67	6.76	6.69
PST	PST-5LYM	13.33	6.81	6.68
PPG	Titanium 2LS	26.67	6.62	6.67
DLFPS	DLFPS-TF/3546	33.33	7.24	6.65
DLFPS	DLFPS-TF/3539	20.00	6.86	6.65
DLFPS	DLFPS-TF/3541	26.67	6.71	6.64
DLFPS	Rebounder	23.33	6.76	6.63
PST	PST-5SQB	41.67	6.47	6.57
DLFPS	DLFPS-TF/3551	23.33	6.86	6.57
DLFPS	Houndog 8	35.00	6.62	6.56
DLFPS	Bloodhound	20.00	6.81	6.54
NexGen	ATF1736	18.33	6.62	6.53
PPG	PPG-TF 177	20.00	6.95	6.53
PST	PST-5MIN4	23.33	6.67	6.53
PST	PST-R511	36.67	6.71	6.53
PST	PST-5DR	18.33	6.43	6.52
PST	Lifeguard	21.67	6.52	6.51
PST	PST-53D2	21.67	6.57	6.51
Rutgers	WATKINS	28.33	6.57	6.48
DLFPS	DLFPS-TF/3540	25.00	6.71	6.47
PST	PST-5MIK	15.00	6.81	6.46
PST	PST-5DAW-15	15.00	6.86	6.42
DLFPS	DLFPS-TF/3542	21.67	6.71	6.41
DLFPS	Fayette	23.33	6.62	6.39
PPG	PPG-TF 174	20.00	6.48	6.38
PST	PST-SYN-SYORK-1	25.00	6.57	6.37
PPG	PPG-TF 178	18.33	6.62	6.37

SPONSOR	CULTIVAR	SUBJECTIVE DATA		
		Brown Patch 2017 (% affected)	Turf Quality 2017	Turf Quality 2016 - 2017
DLFPS	DLFPS-TF/3549	23.33	6.62	6.34
DLFPS	DLFPS-TF/3545	31.67	6.67	6.31
PPG	PPG-TF 153	26.67	6.33	6.30
NexGen	ATF1599	33.00	6.24	6.29
NexGen	ATF1835	25.00	6.10	6.27
PST	PST-5T24	16.67	6.38	6.25
NexGen	Rebel Exeda	26.67	6.38	6.13
PST	PST-5STAR	36.67	6.10	6.11
PPG	PPG-TF 154	30.00	6.15	6.11
PST	PST-5MINI	16.67	6.05	6.10
NexGen	ATF1587	38.33	6.00	6.09
DLFPS	Turfway	25.00	6.14	6.07
PST	PST-5BP0	36.67	6.33	6.05
PST	Gazelle II	40.00	6.14	6.02
PST	PST-5DZP	26.67	6.14	6.01
NexGen	ATF1552	21.67	6.24	5.98
PST	Saltillo	16.67	6.00	5.95
NexGen	ATF1574	26.67	6.00	5.92
NexGen	ATF1831	31.67	5.95	5.89
NexGen	ATF1572	26.67	6.00	5.86
NexGen	ATF1601	21.67	5.86	5.79
PST	PST-5EX2	15.00	5.62	5.78
PST	PST-5BRK	30.00	5.72	5.78
NexGen	ATF1838	43.33	5.71	5.77
DLFPS	DLFPS-TF/3544	38.33	5.81	5.77
NexGen	ATF1900	30.00	5.67	5.73
NexGen	ATF1594	38.33	5.48	5.63
PST	Rain Dance	36.67	5.52	5.62
NexGen	ATF1833	40.00	5.48	5.60
NexGen	ATF1467	28.33	5.81	5.57
NexGen	ATF1832	28.33	5.57	5.57
NexGen	ATF1576	20.00	5.71	5.55
NexGen	ATF1829	26.67	5.71	5.50
NexGen	ATF1616	50.00	5.33	5.42
PPG	PPG-TF 155	28.33	5.57	5.40
PPG	Stingray	45.00	5.28	5.39
DLFPS	Bullseye	30.00	5.76	5.30
NexGen	ATF1836	26.67	5.19	5.29
PST	Tar Heel II	46.67	4.71	5.22
NexGen	ATF1585	38.33	5.38	5.19
NexGen	ATF1591	35.00	5.10	5.19
NexGen	ATF1617	43.33	4.86	4.99
DLFPS	KY-31 E+	16.67	2.81	2.68
	CV	43.15	4.74	3.71
	LSD (0.05)	14.66	0.41	0.31

2017 Brown Patch = % of plot affected (1 rating)
 2017 Turf Quality = 1-9; 9=Best (7 ratings)